

DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

White - Red



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

Black - Red



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

Red - White



[YouTube](#) [Instagram](#) [Facebook](#) [ventmoto.it](#)

DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

White - Fluo



[YouTube icon](#) [Instagram icon](#) [Facebook icon](#) [ventmoto.it](https://www.ventmoto.it)

DERAPAGE 50

DERAPAGE 50 LOWRIDE

Data sheet

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock
Front brake system	Wave disc Ø 290 mm with two piston floating caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	100/80-17"
Rear wheel	130/70-17"

Dimensions

Wheelbase	1.450 mm
Seat height	920 mm (865 mm Lowride version)
Footrest height	345 mm (305 mm Lowride version)
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	99,0 kg

Technical and aesthetic characteristics are subject to change without notice.

