



2026



INDEX

OFF-ROAD

RAPTOR 50	3
BAJA 50	5
BAJA RR 50	9
BAJA 125 4T	11
BAJA RR 125 4T	15

ON-ROAD

SKATE 50	17
DERAPAGE 50	19
DERAPAGE RR 50	24
DERAPAGE 125 4T	26
DERAPAGE RR 125 4T	30

SCRAMBLER

X-RUDE 125	32
------------	----

RAPTOR 50

OFF-ROAD

Black - Sand



RAPTOR 50

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock
Front brake system	Wave disc Ø 260 mm with two piston floating caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	80/90-21"
Rear wheel	110/80-18"

Dimensions

Wheelbase	1.450 mm
Seat height	930 mm
Footrest height	390 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	97,0 kg



BAJA 50

OFF-ROAD

Black - Red



BAJA 50

OFF-ROAD

White - Red



BAJA 50

OFF-ROAD

Red - White



BAJA 50

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock
Front brake system	Wave disc Ø 260 mm with two piston floating caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	80/90-21"
Rear wheel	110/80-18"

Dimensions

Wheelbase	1.450 mm
Seat height	930 mm
Footrest height	390 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	97,0 kg



BAJA RR 50

OFF-ROAD

Red - White



BAJA RR 50

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Aluminium perimetral frame VENT 6.0, double cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm – adjustable in preload and rebound
Rear suspension	Hydraulic monoshock – preload and rebound adjustable with separate gas tank and HM-link 2.0 leverage
Front brake system	Wave disc Ø 260 mm with two piston floating caliper and aluminium oversized brake pump
Rear brake system	Wave disc Ø 220 mm with oversized aluminium floating caliper
Front wheel	80/90-21"
Rear wheel	110/80-18"

Dimensions

Wheelbase	1.450 mm
Seat height	940 mm
Footrest height	380 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	92,0 kg



BAJA 125 4T

OFF-ROAD

Black - Red



BAJA 125 4T

OFF-ROAD

Red - White



BAJA 125 4T

OFF-ROAD

White - Red



BAJA 125 4T

Engine

Type	Minarelli single - cylinder, 4 stroke, liquid - cooled
Displacement	124,7 cm³
Injection	Electronic
Starter	Electric
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock preload adjustable
Front brake system	Wave disc Ø 260 mm with two floating piston caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	90/90-21"
Rear wheel	120/90-18" - 120/80-18"

Dimensions

Wheelbase	1.445 mm
Seat height	940 mm
Footrest height	375 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	1,5 liters
Dry weight	110,0 kg



BAJA RR 125 4T

OFF-ROAD

Red - White



BAJA RR 125 4T

Engine

Type	Minarelli single - cylinder, 4 stroke, liquid - cooled
Displacement	124,7 cm³
Injection	Electronic
Starter	Electric
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Aluminium perimetral frame Vent 6.0, double cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm - adjustable in preload and rebound
Rear suspension	Hydraulic monoshock, preload and rebound adjustable with separate gas tank and with HM-link 2.0 leverage
Front brake system	Wave disc Ø 260 mm with aluminium oversized two floating piston caliper and brake pump
Rear brake system	Wave disc Ø 220 mm with oversized aluminium floating clasper
Front wheel	90/90-21"
Rear wheel	120/90-18"

Dimensions

Wheelbase	1.445 mm
Seat height	940 mm
Footrest height	375 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	1,5 liters
Dry weight	105,0 kg



SKATE 50

SKATE 50 LOWRIDE

ON-ROAD

Black - Red



SKATE 50

SKATE 50 LOWRIDE

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame, double cradle with removable rear subframe
Front suspension	Hydraulic fork Ø 37 mm
Rear suspension	Hydraulic monoshock
Front brake system	Wave disc Ø 290 mm with floating dual piston caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	100/80-17"
Rear wheel	130/70-17"

Dimensions

Wheelbase	1.372 mm
Seat height	875 mm (847 mm Lowride version)
Footrest height	308 mm
Fuel tank capacity	6 liters
Fuel tank reserve	1,5 liters
Dry weight	89,5 kg



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

White - Red



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

Black - Red



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

Red - White



DERAPAGE 50

DERAPAGE 50 LOWRIDE

ON-ROAD

White - Fluo



DERAPAGE 50

DERAPAGE 50 LOWRIDE

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock
Front brake system	Wave disc Ø 290 mm with two piston floating caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	100/80-17"
Rear wheel	130/70-17"

Dimensions

Wheelbase	1.450 mm
Seat height	920 mm (865 mm Lowride version)
Footrest height	345 mm (305 mm Lowride version)
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	99,0 kg



DERAPAGE RR 50

ON-ROAD

Red - White



DERAPAGE RR 50

Engine

Type	Minarelli single-cylinder, 2-stroke, liquid-cooled
Displacement	49,7 cm³
Carburetor	Dell'Orto PHBN 16
Starter	Kick Starter
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Aluminium perimetral frame VENT 6.0, double cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm – preload and rebound adjustable
Rear suspension	Hydraulic monoshock – preload and rebound adjustable with separate gas tank and HM-link 2.0 leverage
Front brake system	Wave disc Ø 300 mm with two piston floating caliper and aluminium oversized brake pump
Rear brake system	Wave disc Ø 220 mm with oversized aluminium floating caliper
Front wheel	100/80-17"
Rear wheel	130/70-17"

Dimensions

Wheelbase	1.445 mm
Seat height	914 mm
Footrest height	360 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	0,75 liters
Dry weight	95,0 kg



DERAPAGE 125 4T

DERAPAGE 125 4T LOWRIDE

ON-ROAD

White - Red



DERAPAGE 125 4T

DERAPAGE 125 4T LOWRIDE

ON-ROAD

White - Fluo



DERAPAGE 125 4T

DERAPAGE 125 4T LOWRIDE

ON-ROAD

Black - Red



DERAPAGE 125 4T

DERAPAGE 125 4T LOWRIDE

Engine

Type	Minarelli single - cylinder, 4 stroke, liquid - cooled
Displacement	124,7 cm³
Injection	Electronic
Starter	Elettrico
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock preload adjustable
Front brake system	Wave disc Ø 290 mm with two floating piston caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	110/70-17"
Rear wheel	140/70-17"

Dimensions

Wheelbase	1.445 mm
Seat height	900 mm (840 mm Lowride version)
Footrest height	315 mm (270 mm Lowride version)
Fuel tank capacity	9,5 liters
Fuel tank reserve	1,5 liters
Dry weight	111,0 kg



DERAPAGE RR 125 4T

ON-ROAD

White - Red



DERAPAGE RR 125 4T

Engine

Type	Minarelli single - cylinder, 4 stroke, liquid - cooled
Displacement	124,7 cm³
Injection	Electronic
Starter	Electric
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Aluminium perimetral frame Vent 6.0, double cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm - adjustable in preload and rebound
Rear suspension	Hydraulic monoshock, preload and rebound adjustable with separate gas tank and with HM-link 2.0 leverage
Front brake system	Wave disc Ø 300 mm with aluminium oversized two floating piston caliper and brake pump
Rear brake system	Wave disc Ø 220 mm with oversized aluminium floating clamper
Front wheel	110/70-17"
Rear wheel	140/70-17"

Dimensions

Wheelbase	1.445 mm
Seat height	900 mm
Footrest height	315 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	1,5 liters
Dry weight	108,5 kg



X-RUDE 125

SCRAMBLER

White - Green



X-RUDE 125

Engine

Type	Minarelli single - cylinder, 4 stroke, liquid - cooled
Displacement	124,7 cm³
Injection	Electronic
Starter	Electric
Clutch	Wet, multiple-disc
Final drive	Chain

Chassis

Frame	Steel perimetral frame Vent 6.0, duple cradle with removable rear part
Front suspension	USD hydraulic fork Ø 41 mm
Rear suspension	Hydraulic monoshock preload adjustable
Front brake system	Wave disc Ø 300 mm with two floating piston caliper
Rear brake system	Wave disc Ø 220 mm with floating caliper
Front wheel	110/80-19" - Michelin Anakee
Rear wheel	130/80-17" - Michelin Anakee

Dimensions

Wheelbase	1.450 mm
Seat height	890 mm
Footrest height	320 mm
Fuel tank capacity	9,5 liters
Fuel tank reserve	1,5 liters
Dry weight	115,0 kg





The technical and aesthetic features of the models depicted in this catalog are subject to change without notice.